



BMEC


ATTUATORI ELETTROMECCANICI PER CANCELLI AD ANTE BATTENTI
ELECTROMECHANICAL OPERATORS FOR SWING GATES
OPÉRATEURS ELECTROMECANIQUE POUR PORTAILS BATTANTS
ACCIONADORES ELECTROMECANICOS PARA PUERTAS DE HOJAS
BATIENTES

BMEC 400

attuatori elettromeccanici per cancelli ad ante battenti | electromechanical operators for swing gates | opérateurs electromecanique pour portails battants | accionadores electromecanicos para puertas de hojas batientes



DX



SX

MADE IN ITALY




DATI TECNICI DATA SHEETS FICHE TECHNIQUE DATOS TECNICOS	BMEC 400	BMEC 400 REV
Tensione alimentazione Power supply Tension alimentation Tensione de alimentación*	230 Vac 50 Hz	230 Vac 50 Hz
Motore elettrico Electric motor Moteur électrique Motor electrico (rpm)	1400 rpm	900 rpm
Corrente Current Courant Corriente (A)	1,2-2 A	1,2-1,7 A
Potenza motore Motor power Puissance moteur Potencia motore (W)	280 W	250 W
Termoprotezione Thermal protection Protection thermique Protección térmica	150°C	135°C
Condensatore Capacitor Condensateur Condensador	8 μ f	8 μ f
Forza di spinta Thrust forcer Force de poussé Fuerza de empuje (max)	2800 N	2500 N
Grado di protezione Class protection Classe de protection Grado de protección	IP 44	IP 44
Tempo apertura Opening time Temps d'ouverture Tiempo apertura (90°)	22 sec.	34 sec.
Blocco anta Swing lock Blocage portail Bloqueo hoja	apertura chiusura/ opening closing/ ouverture fermeture/ abertura cierre	no
Peso anta Leaf weight Poids du portail Peso hoja (max)	350 kg	300 kg
Lunghezza anta Leaf lenght Longueur portail Longitud hoja (max)	2,75 m	2,75 m
Dimensioni Dimensions Dimensions moteur Medidas (L x P x H) mm	765 x 90 x 178	765 x 90 x 178
Prezzo Price Prix Precio - IVA esclusa - 1 Pz	€ 270,00	€ 300,00
Prezzo Price Prix Precio - IVA esclusa - 2 Pz	€ 540,00	€ 600,00

* Disponibile | Available | Disponible | Disponible: 115 Vac - 60 Hz



BMEC 500

attuatori elettromeccanici per cancelli ad ante battenti | electromechanical operators for swing gates | opérateurs electromecanique pour portails battants | accionadores electromecanicos para puertas de hojas batientes




MADE IN ITALY



DATI TECNICI DATA SHEETS FICHE TECHNIQUE DATOS TECNICOS	BMEC 500
Tensione alimentazione Power supply Tension alimentation Tensione de alimentación*	230 Vac 50 Hz
Motore elettrico Electric motor Moteur électrique Motor electrico (rpm)	1400 rpm
Corrente Current Courant Corriente (A)	1,2-1,7 A
Potenza motore Motor power Puissance moteur Potencia motore (W)	280 W
Termoprotezione Thermal protection Protection thermique Protección térmica	150°C
Condensatore Capacitor Condensateur Condensador	8 µf
Forza di spinta Thrust forcer Force de poussé Fuerza de empuje (max)	2800 N
Grado di protezione Class protection Classe de protection Grado de protección	IP 44
Tempo apertura Opening time Temps d'ouverture Tiempo apertura (90°)	27 sec.
Blocco anta Swing lock Blocage portail Bloqueo hoja	apertura chiusura/ opening closing/ ouverture fermeture/ abertura cierre
Peso anta Leaf weight Poids du portail Peso hoja (max)	250 kg
Lunghezza anta Leaf lenght Longueur portail Longitud hoja (max)	3,50 m
Dimensioni Dimensions Dimensions moteur Medidas (L x P x H) mm	865 x 90 x 178
Prezzo Price Prix Precio - IVA esclusa - 1 Pz	€ 310,00
Prezzo Price Prix Precio - IVA esclusa - 2 Pz	€ 620,00

* Disponibile | Available | Disponible | Disponible: 115 Vac - 60 Hz



KIT

BMEC 400

attuatori elettromeccanici per cancelli ad ante battenti | electromechanical operators for swing gates | opérateurs electromecanique pour portails battants | accionadores electromecanicos para puertas de hojas batientes

MADE IN ITALY CE

KIT BMEC 400 - SX - 1 ANTA | 1 DOOR | 1 PORTAIL | 1 HOJA *

Prezzo | Price | Prix | Precio - IVA esclusa

€ 690,00

BMEC 400 - SX

Attuatore elettromeccanico | Electromechanical operator | Opérateur electromecanique | Accionadore electromecanico



LRS2150 SMALL

Centrale elettronica | Control unit | Centrale de commande | Cuadro de maniobra



TR4CH_HI20027 RC 433.92 MHz

Telecomando
Remote control
Telecommande
Mando a distancia



BIG2F - SLY 12 | 24 Vcc - ca

Fotocellula sovrapposta
Photocell
Photocellule exterieur usage
Fotocélulas de sobreponer



LED ZRZ 12 | 24 Vcc - 115 | 230 Vac

Lampeggiante
Flashing lamp
Clignotant
Lampara destellante



ANT - CST 433.92 MHz

Antenna | Antenna
Antenne | Antena



EKO PLASTIC

Selettore a chiave sovrapposto
Key selector outdoor use
Selecteur a clé mural
Selector con llave de sobreponer

KIT BMEC 400 - 2 ANTE | 2 DOORS | 2 PORTAILS | 2 HOJAS *

Prezzo | Price | Prix | Precio - IVA esclusa

€ 960,00

BMEC 400 - SX + BMEC 400 - DX

Attuatori elettromeccanici | Electromechanical operators | Opérateurs electromecaniques | Accionadores electromecanicos



LRS2150 SMALL

Centrale elettronica | Control unit | Centrale de commande | Cuadro de maniobra



TR4CH_HI20027 RC 433.92 MHz

Telecomando
Remote control
Telecommande
Mando a distancia



BIG2F - SLY 12 | 24 Vcc - ca

Fotocellula sovrapposta
Photocell
Photocellule exterieur usage
Fotocélulas de sobreponer



LED ZRZ 12 | 24 Vcc - 115 | 230 Vac

Lampeggiante
Flashing lamp
Clignotant
Lampara destellante



ANT - CST 433.92 MHz

Antenna | Antenna
Antenne | Antena



EKO PLASTIC

Selettore a chiave sovrapposto
Key selector outdoor use
Selecteur a clé mural
Selector con llave de sobreponer

* Disponibile | Available | Disponible | Disponible: 230 Vac - 50/60Hz | 110 Vac - 60 Hz | 115 Vac - 60 Hz | 127 Vac - 60 Hz

KIT

BMEC 500

attuatori elettromeccanici per cancelli ad ante battenti | electromechanical operators for swing gates | opérateurs electromecanique pour portails battants | accionadores electromecánicos para puertas de hojas batientes

MADE IN ITALY C E

KIT BMEC 500 - DX - 1 ANTA | 1 DOOR | 1 PORTAIL | 1 HOJA *

Prezzo | Price | Prix | Precio - IVA esclusa

€ 790,00

BMEC 500 - DX

Attuatore elettromeccanico | Electromechanical operator | Opérateur electromecanique | Accionadore electromecánico



LRS2150 SMALL

Centrale elettronica | Control unit | Centrale de commande | Cuadro de maniobra



TR4CH_HI20027 RC 433.92 MHz

Telecomando
Remote control
Telecommande
Mando a distancia



BIG2F - SLY 12 | 24 Vcc - ca

Fotocellula sovrapposta
Photocell
Photocellule exterieur usage
Fotocélulas de sobreponer



LED ZRZ 12 | 24 Vcc - 115 | 230 Vac

Lampeggiante
Flashing lamp
Clignotant
Lampara destellante



ANT - CST 433.92 MHz

Antenna | Antenna
Antenne | Antena



EKO PLASTIC

Selettore a chiave sovrapposto
Key selector outdoor use
Selecteur a clé mural
Selector con llave de sobreponer

KIT BMEC 500 - 2 ANTE | 2 DOORS | 2 PORTAILS | 2 HOJAS *

Prezzo | Price | Prix | Precio - IVA esclusa

€ 1.160,00

BMEC 500 - SX + BMEC 500 - DX

Attuatori elettromeccanici | Electromechanicals operators | Opérateurs electromecaniques | Accionadores electromecánicos



LRS2150 SMALL

Centrale elettronica | Control unit | Centrale de commande | Cuadro de maniobra



TR4CH_HI20027 RC 433.92 MHz

Telecomando
Remote control
Telecommande
Mando a distancia



BIG2F - SLY 12 | 24 Vcc - ca

Fotocellula sovrapposta
Photocell
Photocellule exterieur usage
Fotocélulas de sobreponer



LED ZRZ 12 | 24 Vcc - 115 | 230 Vac

Lampeggiante
Flashing lamp
Clignotant
Lampara destellante



ANT - CST 433.92 MHz

Antenna | Antenna
Antenne | Antena



EKO PLASTIC

Selettore a chiave sovrapposto
Key selector outdoor use
Selecteur a clé mural
Selector con llave de sobreponer

* Disponibile | Available | Disponible | Disponible: 230 Vac - 50/60Hz | 110 Vac - 60 Hz | 115 Vac - 60 Hz | 127 Vac - 60 Hz